Printing date 23.06.2014 Revision: 23.06.2014

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Kitchen Klenz
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Degreaser
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Cleanse Tec 1000 Linwood St. Brooklyn, NY 11208 Phone: (718) 346-9111

· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



🔁 C; Corrosive

R34: Causes burns.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Danger

(Contd. on page 2)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

(Contd. of page 1)

· Hazard-determining components of labelling:

Polyphosphoric acids potassium hydroxide disodium metasilicate

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection.

P264 Wash thoroughly after handling. P260 Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

- · Hazard description:
- WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 0

REACTIVITY Reactivity = 0

· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

	(Contd	. of pag
Dangerous components:		
CAS: 68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs. Xi R36	>70
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	2-butoxyethanol Xn R20/21/22; Xi R36/38 ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	5-10
CAS: 8017-16-1 EINECS: 232-417-0	Polyphosphoric acids C R34 Met. Corr.1, H290; Skin Corr. 1B, H314	1-59
CAS: 1300-72-7 EINECS: 215-090-9	sodium xylenesulphonate Xi R36	1-59
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8	potassium hydroxide C R35; X Xn R22 Skin Corr. 1A, H314 Acute Tox. 4, H302	1-5%
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8	disodium metasilicate C R34; X Xi R37 Met. Corr.1, H290; Skin Corr. 1B, H314 STOT SE 3, H335	1-59
CAS: 7601-54-9 EINECS: 231-509-8	trisodium orthophosphate XI R36/37/38 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤ 2,5

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

(Contd. on page 4)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

(Contd. of page 3)

Nausea in case of ingestion.

Coughing

Cramp

· Hazards

Danger of gastric perforation.

Danger of severe eye injury.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information No further relevant information available.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

(Contd. on page 5)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

(Contd. of page 4)

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: glass or ceramic.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

	on control parameters				
· Ingredients v	Ingredients with limit values that require monitoring at the workplace:				
111-76-2 2-butoxyethanol					
IOELV (EU)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin				
PEL (USA)	Long-term value: 240 mg/m³, 50 ppm Skin				
REL (USA)	Long-term value: 24 mg/m³, 5 ppm Skin				
TLV (USA)	Long-term value: 97 mg/m³, 20 ppm BEI				
EL (Canada)	Long-term value: 20 ppm				
EV (Canada)	Long-term value: 20 ppm Skin				
1310-58-3 po	tassium hydroxide				
REL (USA)	Ceiling limit: 2 mg/m³				
TLV (USA)	Ceiling limit: 2 mg/m³				
EL (Canada)	Short-term value: C 2 mg/m³				
7601-54-9 trisodium orthophosphate					
WEEL (USA)	Short-term value: 5 mg/m³				
· DNELs No fu	rther relevant information available.				

- · PNECs No further relevant information available.

(Contd. on page 6)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

(Contd. of page 5)

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BEI (USA) 200 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Butoxyacetic acid with hydrolysis

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Clean skin thoroughly immediately after handling the product.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

- Body protection: Alkaline resistant protective clothing
- Limitation and supervision of exposure into the environment

No further relevant information available.

(Contd. on page 7)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

(Contd. of page 6)

· Risk management measures

See Section 7 for additional information. No further relevant information available.

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Colour: Light Red
Odour: Not determined.
Odour threshold: Not determined.

· pH-value: 13

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Plash point:
Flammability (solid, gaseous):
Auto/Self-ignition temperature:
Not determined.
Not determined.
Not determined.

· **Self-igniting:** Product is not self-igniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure:
Not applicable.

Density:
Not determined.
Relative density
Vapour density
Not determined.
Evaporation rate
Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

(Contd. on page 8)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

(Contd. of page 7)

· 9.2 Other information

No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Strong exothermic reaction with acids.

Corrosive action on metals.

Attacks materials containing glass and silicate.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

- 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Phosphorus oxides (e.g. P2O5)

Sulphur oxides (SOx)

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

1310-58-3 potassium hydroxide

Oral LD50 273 mg/kg (rat)

- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

• Repeated dose toxicity: Repeated exposure may cause skin dryness or cracking.

(Contd. on page 9)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

(Contd. of page 8)

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark:

The product causes an alteration of the pH-value within the testing system. The result refers to the non-neutralised sample.

After neutralization a reduction of the harming action may be recognized

- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

UN1719

(Contd. on page 10)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

· 14.2 UN proper shipping name

(Contd. of page 9)



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

· **DOT** Caustic alkali liquids, n.o.s. (Potassium hydroxide,

Sodium metasilicate)

· ADR 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM

HYDROXIDE, SODIUM METASILICATE)

· IMDG, IATA CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM

HYDROXIDE, SODIUM METASILICATE)

· 14.3 Transport hazard class(es)

· DOT



· Class 8 Corrosive substances.

· Label

· ADR



· Class 8 (C5) Corrosive substances.

· Label

· IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group

· DOT, ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant:

• 14.6 Special precautions for user Warning: Corrosive substances.

Danger code (Kemler):EMS Number:Segregation groups80F-A,S-BAlkalis

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 1L

(Contd. on page 11)

(Contd. of page 10)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

· Transport category · Tunnel restriction code

UN "Model Regulation":

2 F

UN1719, CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, SODIUM

METASILICATE), 8, II

15	Rea	ulatory	/ inform	ation
	1764	uiatoi y	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	iatioii

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

7601-54-9 trisodium orthophosphate

- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

NL

· IARC (International Agency for Research on Cancer)

111-76-2 2-butoxyethanol

3

TLV (Threshold Limit Value established by ACGIH)

111-76-2 2-butoxyethanol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

(Contd. on page 12)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

		(Contd. of page 11)
· Canadian	Ingredient Disclosure list (limit 0.1%)	
None of the	e ingredients is listed.	
· Canadian	Ingredient Disclosure list (limit 1%)	
111-76-2	2-butoxyethanol	
	potassium hydroxide	
6834-92-0	disodium metasilicate	

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290	May be	corrosive	to	metals.
------	--------	-----------	----	---------

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

Causes skin irritation. H315

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed.

R34 Causes burns.

R35 Causes severe burns.

R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

R37 Irritating to respiratory system.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 13)

Printing date 23.06.2014 Revision: 23.06.2014

Trade name: Kitchen Klenz

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Met. Corr.1: Corrosive to metals, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

(Contd. of page 12)