GHS

Printing date 23.06.2014

Revision: 23.06.2014


1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: Sani-Clean • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Block Whitener • 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Cleanse Tec 1000 Linwood St. Brooklyn, NY 11208 Phone: (718) 346-9111 · 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 2 Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC 🔁 C; Corrosive R34: Causes burns. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 Signal word Danger (Contd. on page 2)

GHS

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Sani-Clean



#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 23.06.2014

Revision: 23.06.2014

#### Trade name: Sani-Clean

	(Conte	d. of page 2
Dangerous components: CAS: 68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs. Xi R36 Eye Irrit. 2, H319	>1-5%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	<ul> <li>2-butoxyethanol</li> <li>Xn R20/21/22; Xi R36/38</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319</li> </ul>	1-5%
CAS: 8017-16-1 EINECS: 232-417-0	Polyphosphoric acids C R34 Met. Corr.1, H290; Skin Corr. 1B, H314	1-5%
CAS: 7681-52-9 EINECS: 231-668-3 Index number: 017-011-00-1	sodium hypochlorite C R34; B N R50 R31 Skin Corr. 1B, H314 Aquatic Acute 1, H400	1-5%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8	potassium hydroxide Skin Corr. 1B, H314 ☐ C R35; Xn R22 Aquatic Acute 1, H400 ♦ Skin Corr. 1A, H314 ↑ Acute Tox. 4, H302	1-5%
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8	disodium metasilicate C R34; Xi R37 Met. Corr.1, H290; Skin Corr. 1B, H314 STOT SE 3, H335	1-5%
CAS: 7601-54-9 EINECS: 231-509-8	trisodium orthophosphate Xi R36/37/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 the wording of the listed risk phrases refer to section 16.	≤ 2,5%

to section 16. of the wording of the listed fisk philases refer

#### 4 First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

- After eye contact:
- Protect unharmed eye.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

(Contd. on page 4)

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Sani-Clean

(Contd. of page 3)

Nausea in case of ingestion. Coughing Cramp

·Hazards

Danger of gastric perforation.

Danger of severe eye injury.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **5** Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

(Contd. on page 5)

GHS

Printing date 23.06.2014

Revision: 23.06.2014

(Contd. of page 4)

#### Trade name: Sani-Clean

Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. • Information about fire - and explosion protection: No special measures required.

#### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: glass or ceramic.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

· Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:				
111-76-2 2-butoxyethanol				
IOELV (EU)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin			
PEL (USA)	Long-term value: 240 mg/m³, 50 ppm Skin			
REL (USA)	Long-term value: 24 mg/m³, 5 ppm Skin			
TLV (USA)	Long-term value: 97 mg/m³, 20 ppm BEI			
EL (Canada)	Long-term value: 20 ppm			
EV (Canada)	Long-term value: 20 ppm Skin			
1310-58-3 potassium hydroxide				
REL (USA)	Ceiling limit: 2 mg/m <sup>3</sup>			
TLV (USA)	Ceiling limit: 2 mg/m <sup>3</sup>			
EL (Canada)	Short-term value: C 2 mg/m <sup>3</sup>			
7601-54-9 trisodium orthophosphate				
WEEL (USA)	Short-term value: 5 mg/m <sup>3</sup>			
• DNELs No further relevant information available. • PNECs No further relevant information available.				
	(Contd. on page 6)			

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Sani-Clean

Ingredients	with biological limit values:	(Contd. of pag
-	outoxyethanol	
	200 mg/g creatinine	
	Medium: urine	
-	Fime: end of shift	
[	Parameter: Butoxyacetic acid with hydrolysis	
Additional i	nformation: The lists valid during the making were used as basis.	
8.2 Exposu		
	otective equipment:	
	tective and hygienic measures:	
	recautionary measures are to be adhered to when handling chemicals.	
	rom foodstuffs, beverages and feed.	
	remove all soiled and contaminated clothing.	
	ct with the eyes and skin. horoughly immediately after handling the product.	
	e gases / fumes / aerosols.	
Respiratory		
	under normal conditions of use.	
	respiratory protective device in case of insufficient ventilation.	
	spiratory protection may be advisable.	
Protection		
Due to mis preparation/		for the product/ t
The selectic quality and substances, checked prio	on of the suitable gloves does not only depend on the material, but also varies from manufacturer to manufacturer. As the product is a put the resistance of the glove material can not be calculated in advance a port to the application. <b>time of glove material</b>	reparation of seve nd has therefore to
The exact be observed	reak through time has to be found out by the manufacturer of the protec	tive gloves and has
Eye protect		
	es should not be worn.	
Saf	ety glasses	
	ction: Alkaline resistant protective clothing and supervision of exposure into the environment	
	elevant information available.	

(Contd. on page 7)

GHS

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Sani-Clean

# · Risk management measures

See Section 7 for additional information. No further relevant information available.

9 Physical and chemical propertie	9 Physical and chemical properties		
<ul> <li>9.1 Information on basic physical and</li> <li>General Information</li> <li>Appearance:</li> </ul>	chemical properties		
Form: Colour: Odour: Odour threshold:	Liquid Clear to straw color. Not determined. Not determined.		
· pH-value:	13		
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not Determined. 212°F / 100°C		
· Flash point:	Not applicable.		
<ul> <li>Flammability (solid, gaseous):</li> </ul>	Not applicable.		
· Auto/Self-ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Self-igniting:	Product is not self-igniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.		
· Vapour pressure:	Not applicable.		
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1.08 g/cm <sup>3</sup> Not determined. Not determined. Not determined.		
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.		
· Partition coefficient (n-octanol/water):	Not determined.		
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.	(Contd. on page 8)	

(Contd. of page 6)

GHS

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Sani-Clean

• 9.2 Other information

No further relevant information available.

(Contd. of page 7)

# **10 Stability and reactivity**

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Strong exothermic reaction with acids.
- Corrosive action on metals.
- Attacks materials containing glass and silicate.
- Toxic fumes may be released if heated above the decomposition point.
- Reacts with strong oxidizing agents.
- **10.4 Conditions to avoid** Store away from oxidizing agents.
- **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products:

- Carbon monoxide and carbon dioxide
- Phosphorus oxides (e.g. P2O5)
- Sulphur oxides (SOx)

# 11 Toxicological information

# 11.1 Information on toxicological effects

# · Acute toxicity:

### · LD/LC50 values relevant for classification:

#### 1310-58-3 potassium hydroxide

# Oral LD50 273 mg/kg (rat)

## Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. **Repeated dose toxicity:** Repeated exposure may cause skin dryness or cracking.

(Contd. on page 9)

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Sani-Clean

(Contd. of page 8)

# 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Ecotoxical effects:
- · Remark:

The product causes an alteration of the pH-value within the testing system. The result refers to the nonneutralised sample.

After neutralization a reduction of the harming action may be recognized

#### · Additional ecological information:

#### · General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### 13 Disposal considerations

#### · 13.1 Waste treatment methods

#### · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

# 14 Transport information

14.1 UN-Number
 DOT, ADR, IMDG, IATA

UN1719

(Contd. on page 10)

GHS

Printing date 23.06.2014

Trade name: Sani-Clean

Revision: 23.06.2014

(Contd. of page 9) · 14.2 UN proper shipping name Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 19 L (5 gal). Caustic alkali liquids, n.o.s. (Potassium hydroxide, · DOT Sodium metasilicate) 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM · ADR HYDROXIDE, SODIUM METASILICATE) · IMDG, IATA CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, SODIUM METASILICATE) · 14.3 Transport hazard class(es) · DOT · Class 8 Corrosive substances. · Label 8 · ADR · Class 8 (C5) Corrosive substances. · Label 8 · IMDG, IATA · Class 8 Corrosive substances. · Label 8 · 14.4 Packing group · DOT, ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. · Danger code (Kemler): 80 · EMS Number: F-A,S-B Segregation groups Alkalis · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 5L (Contd. on page 11)

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Sani-Clean

 • Transport category
 2

 • Tunnel restriction code
 E

 • UN "Model Regulation":
 UN1719, CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, SODIUM METASILICATE), 8, II

Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the	e substance or mixtur
· United States (USA) · SARA	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
7601-54-9 trisodium orthophosphate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
111-76-2 2-butoxyethanol	N
· IARC (International Agency for Research on Cancer)	
111-76-2 2-butoxyethanol	
· TLV (Threshold Limit Value established by ACGIH)	
111-76-2 2-butoxyethanol	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
	(Contd. on page

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Sani-Clean

(Contd. of page 11)

#### Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

#### · Canadian Ingredient Disclosure list (limit 1%)

111-76-2 2-butoxyethanol

1310-58-3 potassium hydroxide

6834-92-0 disodium metasilicate

#### · Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

#### Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

- R22 Harmful if swallowed.
- R34 Causes burns.
- R35 Causes severe burns.
- R36 Irritating to eyes.
- R36/37/38 Irritating to eyes, respiratory system and skin.
- R36/38 Irritating to eyes and skin.
- R37 Irritating to respiratory system.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 13)

Printing date 23.06.2014

# Trade name: Sani-Clean

Revision: 23.06.2014

(Contd. of page 12)

HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Met. Corr.1: Corrosive to metals, Hazard Category 1
Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
Sources
SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com