Printing date 23.06.2014

Revision: 23.06.2014

1 Identification of	the substance/mixture and of the company/undertaking		
· 1.1 Product identifie	ər		
 Trade name: <u>Barbacher</u> 1.2 Relevant identif No further relevant in 	ied uses of the substance or mixture and uses advised against		
• Application of the s	· Application of the substance / the mixture Product Component		
 1.3 Details of the su Manufacturer/Supp Cleanse Tec 1000 Linwood St. Brooklyn, NY 11208 Phone: (718) 346-91 			
 • 1.4 Emergency telep ChemTel Inc. (800)255-3924, +1 (8 			
2 Hazards identifie	ration		
The following Haza regulation: H411. Skin Sens. 1	rding to Regulation (EC) No 1272/2008 rd Statements are applicable only to the EU regulations and not the US GHS H317: May cause an allergic skin reaction. 411 Toxic to aquatic life with long lasting effects.		
Eye Irrit. 2 H Skin Sens. 1 H	 315 Causes skin irritation. 319 Causes serious eye irritation. 317 May cause an allergic skin reaction. rding to Directive 67/548/EEC or Directive 1999/45/EC 		
Xi; Irritant R36: Irritating to			
	Xi; Sensitising		
· · · · · · · · · · · · · · · · · · ·			
	N; Dangerous for the environment R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. (Contd. on page 2)		

GHS

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Barbackack (Contd. of page 1) · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. **Classification system:** The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS). GHS07 GHS09 · Signal word Warning · Hazard-determining components of labelling: (R)-p-mentha-1,8-diene · Hazard statements The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. **Precautionary statements** P280 Wear protective gloves/protective clothing/eye protection/face protection. P264 Wash thoroughly after handling. Avoid breathing dust. P261 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of water. · Additional information: Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction. · Hazard description: · WHMIS-symbols: D2B - Toxic material causing other toxic effects (Contd. on page 3)

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Barback

	(Contd. of page 2)
$\overline{\mathbf{T}}$	
· NFPA ratings (scale 0 - 4)	
Health = 1 Fire = 0 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH1Health = 1FIREIFire = 0REACTIVITYIReactivity = 0	
· HMIS Long Term Health Hazard Substances	
127087-87-0 Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched	
 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	
• vPvB: Not applicable.	

3 Composition/informati · 3.2 Mixtures · Description: Mixture of subs	on on ingredients	
Dangerous components:		
CAS: 68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs. Xi R36 Eye Irrit. 2, H319	20-40%
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2	sodium carbonate Xi R36 Eye Irrit. 2, H319	10-20%
CAS: 127087-87-0 NLP: 500-315-8	Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched X N R21/22; X Xi R36/38; N R51/53 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-20%
	(Contd	. on page 4

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Barback

	(Co	ntd. of page 3)
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	1-5%
EINECS: 227-813-5	🗙 Xi R38; 🗙 Xi R43; 🏪 N R50/53	
Index number: 601-029-00-7		
	Flam. Liq. 3, H226	
	Aquatic Ácute 1, H400; Aquatic Chronic 1, H410	
	Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 68603-42-9	Coconut diethanolamide	1-5%
EINECS: 271-657-0	🗙 Xi R36/38	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 111-42-2	2,2'-iminodiethanol	< 1,0%
EINECS: 203-868-0	🗙 Xn R22-48/22; 🗙 Xi R38-41	
Index number: 603-071-00-1		
	🗄 Eye Dam. 1, H318	
	Acute Tox. 4, H302; Skin Irrit. 2, H315	
SVHC		
127087-87-0 Poly(oxy-1,2-et	hanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched	
Additional information: For	the wording of the listed risk phrases refer to section 16.	

4 First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Irritant to skin and mucous membranes.

Irritant to eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Cramp

Coughing

· Hazards No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

(Contd. on page 5)

Printing date 23.06.2014

Trade name: Barback

Revision: 23.06.2014

(Contd. of page 4)

5 Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: None.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

• 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Protect from humidity and water.

Avoid storage near extreme heat, ignition sources or open flame.

(Contd. on page 6)

Printing date 23.06.2014

Revision: 23.06.2014

(Contd. of page 5)

Trade name: Barback

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure	controls/personal protection		
· Additional in	 Additional information about design of technical facilities: No further data; see item 7. 8.1 Control parameters 		
· 8.1 Control p			
· Ingredients v	with limit values that require monitoring at the workplace:		
· · ·	-iminodiethanol		
	REL (USA) Long-term value: 15 mg/m ³ , 3 ppm		
TLV (USA)	Long-term value: 1* mg/m³, 0,2* ppm Skin; *inhalable fraction and vapor		
EL (Canada)	Long-term value: 2 mg/m³ Skin		
EV (Canada)	Long-term value: 2 mg/m ³		
· PNECs No fu	rther relevant information available. rther relevant information available. formation: The lists valid during the making were used as basis.		
The usual pre Keep away fro Immediately r Wash hands Avoid contact Do not inhale Respiratory Not required u Use suitable r	under normal conditions of use. respiratory protective device in case of insufficient ventilation. piratory protection may be advisable.		
Prote	ective gloves		
Selection of degradation. • Material of g The selection	terial has to be impermeable and resistant to the product/ the substance/ the preparation. the glove material on consideration of the penetration times, rates of diffusion and the loves n of the suitable gloves does not only depend on the material, but also on further marks of arises from manufacturer to manufacturer. As the product is a preparation of several		

(Contd. on page 7)

GHS

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Barback

(Contd. of page 6)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Contact lenses should not be worn.



Safety glasses

Body protection: Acid resistant protective clothing
Limitation and supervision of exposure into the environment No further relevant information available.
Risk management measures See Section 7 for additional information. No further relevant information available.

9 Physical and chemical properties

 9.1 Information on basic physical a General Information 	nd chemical properties	
· Appearance:		
Form:	Solid	
Colour: · Odour:	Yellow-Gold Citrus	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	9,5 (1% Solution)	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure:	Not applicable.	
· Density:	Not determined.	(Contd. on page 8)

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Barback (Contd. of page 7) · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not determined. Not applicable. Kinematic: Not determined. · 9.2 Other information No further relevant information available. 10 Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong alkali.

Reacts with strong oxidizing agents.

Risk of dust explosion if enriched with fine dust in the presence of air.

• **10.4 Conditions to avoid** Store away from oxidizing agents.

• **10.5 Incompatible materials:** No further relevant information available.

• 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Sulphur oxides (SOx) Phosphorus oxides (e.g. P2O5)

11 Toxicological information

11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

127087-87-0 Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched

Oral LD50 1410 mg/kg (rat)

Dermal LD50 2830 mg/kg (rabbit)

5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 4400 mg/kg (rat)

Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

• Sensitization: Sensitization possible through skin contact.

(Contd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date 23.06.2014

Trade name: Barback

(Contd. of page 8)

Revision: 23.06.2014

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Danger through skin adsorption.

Toxic and/or corrosive effects may be delayed up to 24 hours.

Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 10)

Printing date 23.06.2014

Revision: 23.06.2014

Trade name: Barback

(Contd. of page 9)

44.4 LIN Number	
14.1 UN-Number DOT	Not Regulated
ADR, IMDG, IATA	UN3077
14.2 UN proper shipping name	
Limited Quantity for package	es less than 30 kg (66 lb) and inner packagings less than 5 kg (11 l
DOT	Not Regulated
ADR	3077 ENVIRONMENTALLY HAZARDO
	SUBSTANCE, SOLID, N.O.S. (Dipentene,
MDO	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	SOLID, N.O.S. (Dipentene, 4-nonylphenyl), MARI POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	SOLID, N.O.S. (Dipentene, 4-nonylphenyl)
14.3 Transport hazard class(es)	
DOT	
Class	Not Regulated
ADR	
Class	9 (M7) Miscellaneous dangerous substances a articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group	
DOT	Not Regulated
ADR, IMDG, IATA	
14.5 Environmental hazards:	
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)

Printing date 23.06.2014

Revision: 23.06.2014

rade name: Barback		
	(Contd. of page 10)	
 14.6 Special precautions for user 	Warning: Miscellaneous dangerous substances and articles.	
Danger code (Kemler):	90	
EMS Number:	F-A,S-F	
 14.7 Transport in bulk according to Ann 	iex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
ADR		
 Limited quantities (LQ) 	5 kg	
Transport category	3	
 Tunnel restriction code 	E	
· UN "Model Regulation":	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dipentene, 4- nonylphenyl), 9, III	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

15 Regulatory information

• Section 313 (Specific toxic chemical listings):

7758-29-4 pentasodium triphosphate

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

68603-42-9 Coconut diethanolamide

111-42-2 2,2'-iminodiethanol

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 12)

Printing date 23.06.2014

Revision: 23.06.2014

(Contd. of page 11)

3 3

A3

Trade name: Barback

· IARC (International Agency for Research on Cancer)

5989-27-5 (R)-p-mentha-1,8-diene

111-42-2 2,2'-iminodiethanol

• TLV (Threshold Limit Value established by ACGIH)

111-42-2 2,2'-iminodiethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

497-19-8 sodium carbonate

5989-27-5 (R)-p-mentha-1,8-diene

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

[•] Substances of very high concern (SVHC) according to REACH, Article 57

127087-87-0 Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R21/22 Harmful in contact with skin and if swallowed.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R36/38 Irritating to eyes and skin.

(Contd. on page 13)

Printing date 23.06.2014

Trade name: Barback

Revision: 23.06.2014

(Contd. of page 12) R38 Irritating to skin. R41 Risk of serious damage to eyes. May cause sensitisation by skin contact. R43 R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed. R50/53 Very toxic to aguatic organisms, may cause long-term adverse effects in the aguatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com